





Residential




LG Hausys
floors EASY CLEAN PET




KPT1301



KPT1302



KPT1303




KPT2331



KPT2332

Easy Clean Pet

Structure



Product Review

Classification	Easy Clean Pet
Total Thickness	1.8mm
Wear Layer	0.10mm
Width	1.83m
Weigh (g/m ²)	1,070
Length	40/50m

1

A good flooring material creating a comfortable living environment with its reasonable price and excellent quality!

Product Features



Easy maintenance with UV surface treatment
Contaminant-resistance with its Kalkumi(easy-to-clean) function



Phthalate Free Plasticizer usage
Our family can breathe and live in eco-friendly environment every day



Superior design
Improving print sharpness and optimal gloss to create wood-like look



Hard Construction & Dimensionally Stable
Glass paper inlaid structure allows strong resistance to heat and moisture.

2

What is KalkumiUV? Find out the difference between KalkumiPET and general PET!

UV Surface Treatment Comparison

Performance



Kalkumi
Contaminants are easily removed on Kalkumi PET!



Posong-ee (meaning dry & soft in Korean)
Enjoy non-sticky flooring material!

Easy Clean Pet
(UV surface Treated)



"dry and soft"

General Pet
(UV surface untreated)



"sticky"